

Mathematical and scientific symbols

Common pronunciations (in British English - Gimson, 1981) of mathematical and scientific symbols are given in the list below.

(all the pages in this section need a unicode font installed - e.g. Arial Unicode MS, Doulos SIL Unicode, Lucida Sans Unicode - see: [The International Phonetic Alphabet in Unicode](#)).

Symbols

+	plus	/ˈplʌs/
-	minus	/ˈmaɪnəs/
±	plus or minus	/ˈplʌs ɔː ˈmaɪnəs/
x	multiplied by	/ˈmʌltɪplaɪd baɪ/
/	over; divided by	/ˈəʊvə/ /dɪˈvaɪdəd/
÷	divided	/dɪˈvaɪdəd/
=	equals	/ˈiːkwəlz/
≈	approximately, similar	/əˈprɒksɪmətli/ /ˈsɪmɪlə tʊ/
≡	equivalent to; identical	/ɪkˈwɪvələnt tʊ/ /aɪˈdentɪkl tʊ/
≠	not equal to	/ˈnɒt ˈiːkwəl tʊ/
>	greater than	/ˈgreɪtə ðən/
<	less than	/ˈles ðən/
≥	greater than or equal to	/ˈgreɪtə ðən ər ˈiːkwəl tʊ/
≤	less than or equal to	/ˈles ðən ər ˈiːkwəl tʊ/
⋈	not greater than	/ˈnɒt ˈgreɪtə ðən/
⋉	not less than	/ˈnɒt ˈles ðən/
≫	much greater than	/ˈmʌtʃ ˈgreɪtə ðən/
≪	much less than	/ˈmʌtʃ ˈles ðən/
⊥	perpendicular to	/pɜːpənˈdɪkjʊlə tʊ/
∥	parallel to	/ˈpærəlel tʊ/
≢	not equivalent to, not identical to	/ˈnɒt ɪkˈwɪvələnt tʊ/ /ˈnɒt aɪˈdentɪkl tʊ/
≠	not similar to	/ˈnɒt ˈsɪmɪlə tʊ/
²	squared	/ˈskweəd/
³	cubed	/ˈkjuːbd/
⁴	to the fourth; to the power four	/tə ðə ˈfɔːθ/ /te ðə ˈpaʊə fɔː/

n	to the n ; to the n th; to the power n	/tə ðɪ en; tə dɪ enθ; tə ðə paʊər en/
$\sqrt{\quad}$	root; square root	/ru:t/ /skweə ru:t/
$\sqrt[3]{\quad}$	cube root	/kju:b ru:t/
$\sqrt[4]{\quad}$	fourth root	/fɔ:θ ru:t/
$!$	factorial	/fæk'tɔ:riəl/
$\%$	percent	/pə'sent/
∞	infinity	/ɪn'fɪnəti/
\propto	varies as; proportional to	/'vɛəri:z/ /prə'pɔ:ʃənəl/
\cdot	dot	/dɒt/
$\ddot{\quad}$	double dot	/dʌbl dɒt/
$:$	is to, ratio of	/reɪʃiəʊ/
$f(x)$ fx	f ; function	/ef/ /'fʌŋkʃən/
$f'(x)$	f dash; derivative	/dæʃ/ /dɪ'rɪvətɪv/
$f''x$	f double-dash; second derivative	/'dʌbl dæʃ/ /'sekənd dɪ'rɪvətɪv/
$f'''(x)$	f triple-dash; f treble-dash; third derivative	/'trɪpl dæʃ/ /trebl dæʃ/ /θɜ:d dɪ'rɪvətɪv/
$f^{(4)}$	f four; fourth derivative	/fɔ:θ dɪ'rɪvətɪv/
∂	partial derivative, delta	/pɑ:ʃəl dɪ'rɪvətɪv/ /deltə/
\int	integral	/'ɪntɪgrəl/
Σ	sum	/sʌm/
w.r.t.	with respect to	/wɪð 'rɪspekt/
log	log	/lɒg/
$\log_2 x$	log to the base 2 of x	/lɒg tə ðə beɪs tu: əv eks/
\therefore	therefore	/'ðɛəfɔ:/
\because	because	/bɪ'kɔ:z/
\rightarrow	gives, leads to, approaches	/gɪvz/ /li:dz tu/ /əprəʊtʃəz/
$/$	per	/pɜ:/
\in	belongs to; a member of; an element of	/bɪ'lɒŋz/ /'membə/ /'elɪmənt/
\notin	does not belong to; is not a member of; is not an element of	/nɒt bɪ'lɒŋ/ /nɒt ə 'membə/ /nɒt ən 'elɪmənt/
\subset	contained in; a proper subset of	/kən'teɪnd ɪn/ /'prɒpə 'sʌbset/
\subseteq	contained in; subset	/'sʌbset/
\cap	intersection	/'ɪntəsekʃən/
\cup	union	/'ju:niən/

\forall	for all	/fə rɔ:l/
$\cos x$	cos x; cosine x	/kɒz/
$\sin x$	sine x	/saɪn/
$\tan x$	tangent x	/tan/
$\operatorname{cosec} x$	cosec x	/'kəʊsek/
$\sinh x$	shine x	/'ʃaɪn/
$\cosh x$	cosh x	/'kɒʃ/
$\tanh x$	than x	/θæn/
$ x $	mod x; modulus x	/mɒd/ /'mɒdʒʊləs/
$^{\circ}\text{C}$	degrees Centigrade	/dɪ'gri:z 'sentɪgreɪd/
$^{\circ}\text{F}$	degrees Fahrenheit	/dɪ'gri:z 'færənhaɪt/
$^{\circ}\text{K}$	degrees Kelvin	/dɪ'gri:z 'kelvɪn/
$0^{\circ}\text{K}, -273.15^{\circ}\text{C}$	absolute zero	/absəlu:t zi:rəʊ/
mm	millimetre	/'mɪlɪmi:tə/
cm	centimetre	/'sentɪmi:tə/
cc, cm^3	cubic centimetre, centimetre cubed	/'kju:bɪk 'sentɪmi:tə/ /'sentɪmi:tə 'kju:bd/
m	metre	/'mi:tə/
km	kilometre	/kɪ'lɒmɪtə/
mg	milligram	/'mɪlɪgræm/
g	gram	/græm/
kg	kilogram	/'kɪləgræm/
AC	A.C.	/eɪ si:/
DC	D.C.	/di: si:/

Examples

$x + 1$	x plus one
$x - 1$	x minus one
$x \pm 1$	x plus or minus one
xy	x y; x times y; x multiplied by y

$(x - y)(x + y)$	x minus y, x plus y
x/y	x over y; x divided by y;
$x \div y$	x divided by y
$x = 5$	x equals 5; x is equal to 5
$x \approx y$	x is approximately equal to y
$x \equiv y$	x is equivalent to y; x is identical with y
$x \neq y$	x is not equal to y
$x > y$	x is greater than y
$x < y$	x is less than y
$x \geq y$	x is greater than or equal to y
$x \leq y$	x is less than or equal to y
$0 < x < 1$	zero is less than x is less than 1; x is greater than zero and less than 1
$0 \leq x \leq 1$	zero is less than or equal to x is less than or equal to 1; x is greater than or equal to zero and less than or equal to 1
x^2	x squared
x^3	x cubed
x^4	x to the fourth; x to the power four
x^n	x to the n; x to the nth; x to the power n
x^{-n}	x to the minus n; x to the power of minus n
$\sqrt{\quad}$	root x; square root x; the square root of x
$\sqrt[3]{\quad}$	the cube root of x
$\sqrt[4]{\quad}$	the fourth root of x
$\sqrt[n]{\quad}$	the nth root of x
$(x + y)^2$	x plus y all squared
$(x/y)^2$	x over y all squared
$n!$	n factorial; factorial n
$x\%$	x percent
∞	infinity
$x \propto y$	x varies as y; x is (directly) proportional to y
$x \propto 1/y$	x varies as one over y; x is indirectly proportional to y
\dot{x}	x dot
\ddot{x}	x double dot
$f(x)$ fx	f of x; the function of x

$f'(x)$	f dash x; the (first) derivative of with respect to x
$f''x$	f double-dash x; the second derivative of f with respect to x
$f'''(x)$	f triple-dash x; f treble-dash x; the third derivative of f with respect to x
$f^{(4)}$	f four x; the fourth derivative of f with respect to x
∂v	the partial derivative of v
$\frac{\partial v}{\partial \theta}$	delta v by delta theta, the partial derivative of v with respect to θ
$\frac{\partial^2 v}{\partial \theta^2}$	delta two v by delta theta squared; the second partial derivative of v with respect to θ
dv	the derivative of v
$\frac{dv}{d\theta}$	d v by d theta, the derivative of v with respect to theta
$\frac{d^2 v}{d\theta^2}$	d 2 v by d theta squared, the second derivative of v with respect to theta,
\int	integral
\int_0^{∞}	integral from zero to infinity
Σ	sum
$\sum_{i=1}^n$	the sum from i equals 1 to n
w.r.t.	with respect to
$\log_e y$	log to the base e of y; log y to the base e; natural log (of) y
\therefore	therefore
\because	because
\rightarrow	gives, approaches
$\Delta x \rightarrow 0$	delta x approaches zero
$\lim_{\Delta x \rightarrow 0}$	the limit as delta x approaches zero, the limit as delta x tends to zero
$Lt_{\Delta x \rightarrow 0}$	the limit as delta x approaches zero, the limit as delta x tends to zero
m/sec	metres per second
$x \in A$	x belongs to A; x is a member of A; x is an element of A
$x \notin A$	x does not belong to A; x is not a member of A; x is not an element of A
$A \subset B$	A is contained in B; A is a proper subset of B
$A \subseteq B$	A is contained in B; A is a subset of B
$A \cap B$	A intersection B

$A \cup B$	A union B
$\cos x$	cos x; cosine x
$\sin x$	sine x
$\tan x$	tangent x, tan x
$\operatorname{cosec} x$	cosec x
$\sinh x$	shine x
$\cosh x$	cosh x
$\tanh x$	than x
$ x $	mod x; modulus x
18°C	eighteen degrees Centigrade
70°F	seventy degrees Fahrenheit

Greek alphabet

A	α	alpha	<i>/'ælfə/</i>
B	β	beta	<i>/'bi:tə/</i>
Γ	γ	gamma	<i>/'gæmə/</i>
Δ	δ	delta	<i>/'deltə/</i>
E	ε	epsilon	<i>/'epsilən/</i>
Z	ζ	zeta	<i>/'zi:tə/</i>
H	η	eta	<i>/'i:tə/</i>
Θ	θ	theta	<i>/'θi:tə/</i>
I	ι	iota	<i>/aɪ'əʊtə/</i>
K	κ	kappa	<i>/'kæpə/</i>
Λ	λ	lamda	<i>/'læmdə/</i>
M	μ	mu	<i>/'mju:/</i>
N	ν	nu	<i>/'nju:/</i>
Ξ	ξ	xi	<i>/'ksaɪ/</i>
O	\omicron	omicron	<i>/'əʊmɪkrən/</i>
Π	π	pi	<i>/'paɪ/</i>
P	ρ	rho	<i>/'rəʊ/</i>
Σ	σ	sigma	<i>/'sɪgmə/</i>

T	τ	tau	/'taʊ/
Υ	υ	upsilon	/'jʊpsɪlən/
Φ	φ	phi	/'faɪ/
Χ	χ	chi	/'kaɪ/
Ψ	ψ	psi	/'psaɪ/
Ω	ω	omega	/'əʊmɪgə/

Roman alphabet

A	a	/'eɪ/
B	b	/'bi:/
C	c	/'si:/
D	d	/'di:/
E	e	/'i:/
F	f	/'ef/
G	g	/'dʒi:/
H	h	/'eɪtʃ/
I	i	/'aɪ/
J	j	/'dʒeɪ/
K	k	/'keɪ/
L	l	/'el/
M	m	/'em/
N	n	/'en/
O	o	/'əʊ/
P	p	/'pi:/
Q	q	/'kju:/
R	r	/'ɑ:/
S	s	/'es/
T	t	/'ti:/
U	u	/'ju:/
V	v	/'vi:/
W	w	/'dʌblju:/

X	x	/'eks/
Y	y	/'waɪ/
Z	z	/'zed/

Fractions

$\frac{1}{2}$	a half	/ə 'hɑ:f/
$\frac{1}{4}$	a quarter	/ə 'kwɔ:tə/
$\frac{3}{4}$	three quarters	/θri: 'kwɔ:təz/
$\frac{1}{3}$	a third	/ə 'θɜ:d/
$\frac{2}{3}$	two thirds	/tu: 'θɜ:dz/
$\frac{1}{5}$	a fifth	/ə 'fɪθ/
$\frac{2}{5}$	two fifths	/tu: 'fɪθs/
$\frac{3}{5}$	three fifths	/θri: 'fɪθs/
$\frac{4}{5}$	four fifths	/fɔ: 'fɪθs/
$\frac{1}{6}$	a sixth	/ə 'sɪksθ/
$\frac{5}{6}$	five sixths	/faɪv 'sɪksθs/
$\frac{1}{8}$	an eighth	/ən 'eɪtθ/
$\frac{3}{8}$	three eighths	/θri: 'eɪtθs/
$\frac{5}{8}$	five eighths	/faɪv 'eɪtθs/
$\frac{7}{8}$	seven eighths	/sevən 'eɪtθs/

Decimal Fractions

0.1	nought point one	/nɔ:t pɔɪnt wʌn/
0.01	nought point oh one	/nɔ:t pɔɪnt əʊ wʌn/
0.0001	nought point oh oh oh one	/ten pɔɪnt əʊ əʊ əʊ wʌn/
1.1	one point one	/wʌn pɔɪnt wʌn/

1.2	one point two	/wʌn pɔɪnt tuː/
1.23	one point two three	/wʌn pɔɪnt tuː θriː/
1.0123	one point oh one two three	/wʌn pɔɪnt əʊ wʌn tuː θriː/
10.01	ten point oh one	/ten pɔɪnt əʊ wʌn/
21.57	twenty-one point five seven	/'twenti wʌn pɔɪnt faɪv 'sevən/
2.6666666666....	two point six recurring	/tuː pɔɪnt sɪks rɪ'kɜːrɪŋ/
2.612361236123...	two point six one two three recurring	/tuː pɔɪnt sɪks wʌn tuː θriː rɪ'kɜːrɪŋ/
2.5 million	two point five million	/tuː pɔɪnt faɪv 'mɪljən/

SI Units: Prefixes

10^{-24}	yocto	y	/'jɒktəʊ/
10^{-21}	zepto	z	/'zeptəʊ/
10^{-18}	atto	a	/'atəʊ/
10^{-15}	femto	f	/'femtəʊ/
10^{-12}	pico	p	/'pi:kəʊ/
10^{-9}	nano	n	/'nanəʊ/
10^{-6}	micro	μ	/'maɪkrəʊ/
10^{-3}	milli	m	/'mɪlɪ/
10^{-2}	centi	c	/'sentɪ/
10^{-1}	deci	d	/'desɪ/
10^3	kilo	k	/'kɪləʊ/
10^6	mega	M	/'megə/
10^9	giga	G	/'gɪgə/
10^{12}	tera	T	/'terə/
10^{15}	peta	P	/'petə/
10^{18}	exa	E	/'eksə/
10^{21}	zetta	Z	/'zetə/
10^{24}	yotta	Y	/'jɒtə/
10^{27}	xona	X	/'zəʊnə/

10^{30}	weka	W	/'wekə/
10^{33}	vunda	V	/'vʊndə/

Cardinal Numbers

1	one	/wʌn/
2	two	/tu:/
3	three	/θri:/
4	four	/fɔ:/
5	five	/faɪv/
6	six	/sɪks/
7	seven	/'sevən/
8	eight	/eɪt/
9	nine	/naɪn/
10	ten	/ten/
11	eleven	/'ɪlevən/
12	twelve	/twelv/
13	thirteen	/θɜ:'ti:n/
14	fourteen	/fɔ:'ti:n/
15	fifteen	/'fɪfti:n/
16	sixteen	/'sɪkst'i:n/
17	seventeen	/'sevn'ti:n/
18	eighteen	/'eɪ'ti:n/
19	nineteen	/'naɪn'ti:n/
20	twenty	/'twentɪ/
21	twenty-one	/'twentɪ'wʌn/
22	twenty-two	/'twentɪ'tu:/
23	twenty-three	/'twentɪ'θri:/
24	twenty-four	/'twentɪ'fɔ:/
25	twenty-five	/'twentɪ'faɪv/
26	twenty-six	/'twentɪ'sɪks/
27	twenty-seven	/'twentɪ'sevən/

28	twenty-eight	/twentɪ'eɪt/
29	twenty-nine	/twentɪ'naɪn/
30	thirty	/'θɜ:ti/
40	forty	/'fɔ:ti/
50	fifty	/'fɪftɪ/
60	sixty	/'sɪksɪ/
70	seventy	/'sevəntɪ/
80	eighty	/'eɪtɪ/
90	ninety	/'naɪntɪ/
100	a hundred; one hundred	/ə 'hʌndrəd/ /wʌn 'hʌndrəd/
101	a hundred and one	/ə 'hʌndrəd ən wʌn/
102	a hundred and two	/ə 'hʌndrəd ən tu:/
110	a hundred and ten	/ə 'hʌndrəd ən ten/
120	a hundred and twenty	/ə 'hʌndrəd ən 'twentɪ/
200	two hundred	/tu: 'hʌndrəd/
300	three hundred	/θri: 'hʌndrəd/
400	four hundred	/fɔ: 'hʌndrəd/
500	five hundred	/faɪv 'hʌndrəd/
600	six hundred	/sɪks 'hʌndrəd/
700	seven hundred	/'sevən 'hʌndrəd/
800	eight hundred	/eɪt 'hʌndrəd/
900	nine hundred	/naɪn 'hʌndrəd/
1 000	a thousand, one thousand	/ə θ'auzənd/ /wʌn 'θauzənd/
1 001	a thousand and one	/ə 'θauzənd ən wʌn/
1 010	a thousand and ten	/ə 'θauzənd ən ten/
1 020	a thousand and twenty	/ə 'θauzənd ən 'twentɪ/
1 100	one thousand, one hundred	/wʌn 'θauzənd wʌn 'hʌndrəd/
1 101	one thousand, one hundred and one	/wʌn 'θauzənd wʌn 'hʌndrəd ən wʌn/
1 110	one thousand, one hundred and ten	/wʌn 'θauzənd wʌn 'hʌndrəd ən ten/
9 999	nine thousand, nine hundred and ninety-nine	/naɪn 'θauzənd naɪn 'hʌndrəd ən 'naɪntɪ 'naɪn/
10 000	ten thousand	/ten 'θauzənd/

15 356	fifteen thousand, three hundred and fifty six	/ˈfɪfti:n ˈθaʊzənd θri: ˈhʌndrəd ən ˈfɪftɪ sɪks/
100 000	a hundred thousand	/ə ˈhʌndrəd ˈθaʊzənd/
1 000 000	a million	/ə ˈmɪljən/
100 000 000	a hundred million	/ə ˈhʌndrəd ˈmɪljən/
1 000 000 000	a billion	/ə ˈbɪljən/
100 000 000 000	a hundred billion	/ə ˈhʌndrəd ˈbɪljən/
1 000 000 000 000	a trillion	/ə ˈtrɪljən/
1 000 000 000 000 000	a quadrillion	/ə kwɒdrɪljən/
1 000 000 000 000 000 000	a quintillion	/ə kwɪnˈtɪljən/
1 000 000 000 000 000 000 000	a sextillion	/ə seksˈtɪljən/
1 000 000 000 000 000 000 000 000	a septillion	/ə sepˈtɪljən/
1 000 000 000 000 000 000 000 000 000	an octillion	/ən ɒktˈtɪljən/
1 000 000 000 000 000 000 000 000 000 000	a nonillion	/ə nɒnˈɪljən/
1 000 000 000 000 000 000 000 000 000 000 000	a decillion	/ə deˈsɪljən/

Ordinal Numbers

1st	first	/fɜ:st/
2nd	second	/ˈsekənd/
3rd	third	/θɜ:d/
4th	fourth	/fɔ:θ/
5th	fifth	/fɪfθ/
6th	sixth	/sɪksθ/
7th	seventh	/ˈsevənθ/
8th	eighth	/eɪtθ/
9th	ninth	/naɪnθ/
10th	tenth	/tenθ/
11th	eleventh	/ɪˈlevənθ/

12th	twelfth	/'twelfθ/
13th	thirteenth	/θɜ:'ti:nθ/
14th	fourteenth	/fɔ:'ti:nθ/
15th	fifteenth	/'fɪf'ti:nθ/
16th	sixteenth	/sɪks'ti:nθ/
17th	seventeenth	/seven'ti:nθ/
18th	eighteenth	/eɪ'ti:nθ/
19th	nineteenth	/naɪn'ti:nθ/
20th	twentieth	/'twentɪəθ/
21st	twenty-first	/twentɪ'fɜ:st/
22nd	twenty-second	/twentɪ'sekənd/
23rd	twenty-third	/twentɪ'θɜ:d/
24th	twenty-fourth	/twentɪ'fɔ:θ/
25th	twenty-fifth	/twentɪ'fɪfθ/
26th	twenty-sixth	/twentɪ'sɪksθ/
27th	twenty-seventh	/twentɪ'sevənθ/
28th	twenty-eighth	/twentɪ'eɪtθ/
29th	twenty-ninth	/twentɪ'naɪnθ/
30th	thirtieth	/'θɜ:triəθ/
31st	thirty-first	/θɜ:trɪ'fɜ:st/
40th	fortieth	/'fɔ:triəθ/
50th	fiftieth	/'fɪftɪəθ/
100th	hundredth	/'hʌndrədθ/
1 000th	thousandth	/'θaʊzəndθ/
1 000 000th	millionth	/'mɪljənθ/